

## 2017 - 2018 Texas Minimum State Vaccine Requirements for Students Grades K - 12

This chart summarizes the vaccine requirements incorporated in the Texas Administrative Code (TAC), Title 25 Health Services, §§97.61-97.72. This document is not intended as a substitute for the TAC, which has other provisions and details. The Department of State Health Services (DSHS) is granted authority to set immunization requirements by the Texas Education Code, Chapter 38.

### IMMUNIZATION REQUIREMENTS

A student shall show acceptable evidence of vaccination prior to entry, attendance, or transfer to a child-care facility or public or private elementary or secondary school in Texas.

Vaccine Required (Attention to notes and footnotes)	Minimum Number of Doses Required by Grade Level												Notes
	Grades K - 6th						Grade 7th	Grades 8th - 12th					
	K	1	2	3	4	5	6	7	8	9	10	11	
Diphtheria/Tetanus/Pertussis <sup>1</sup> (DTaP/DTP/DT/Td/Tdap)	5 doses or 4 doses						3 dose primary series and 1 Tdap / Td booster <i>within the last 5 years</i>	3 dose primary series and 1 Tdap / Td booster <i>within the last 10 years</i>					For K – 6 <sup>th</sup> grade: 5 doses of diphtheria-tetanus-pertussis vaccine; 1 dose must have been received on or after the 4 <sup>th</sup> birthday. However, 4 doses meet the requirement if the 4 <sup>th</sup> dose was received on or after the 4 <sup>th</sup> birthday. For students aged 7 years and older, 3 doses meet the requirement if 1 dose was received on or after the 4 <sup>th</sup> birthday. For 7 <sup>th</sup> grade: 1 dose of Tdap is required if at least 5 years have passed since the last dose of tetanus-containing vaccine. For 8 <sup>th</sup> – 12 <sup>th</sup> grade: 1 dose of Tdap is required when 10 years have passed since the last dose of tetanus-containing vaccine. Td is acceptable in place of Tdap if a medical contraindication to pertussis exists.
Polio <sup>1</sup>	4 doses or 3 doses												For K – 12 <sup>th</sup> grade: 4 doses of polio; 1 dose must be received on or after the 4 <sup>th</sup> birthday. However, 3 doses meet the requirement if the 3 <sup>rd</sup> dose was received on or after the 4 <sup>th</sup> birthday.
Measles, Mumps, and Rubella <sup>1,2</sup> (MMR)	2 doses												For K – 12 <sup>th</sup> grade: 2 doses are required, with the 1 <sup>st</sup> dose received on or after the 1 <sup>st</sup> birthday. Students vaccinated prior to 2009 with 2 doses of measles and one dose each of rubella and mumps satisfy this requirement.
Hepatitis B <sup>2</sup>	3 doses												For students aged 11 – 15 years, 2 doses meet the requirement if adult hepatitis B vaccine (Recombivax <sup>®</sup> ) was received. Dosage (10 mcg /1.0 mL) and type of vaccine (Recombivax <sup>®</sup> ) must be clearly documented. If Recombivax <sup>®</sup> was not the vaccine received, a 3-dose series is required.
Varicella <sup>1,2,3</sup>	2 doses												The 1 <sup>st</sup> dose of varicella must be received on or after the 1 <sup>st</sup> birthday. For K – 12 <sup>th</sup> grade: 2 doses are required.
Meningococcal <sup>1</sup> (MCV4)							1 dose						For 7 <sup>th</sup> – 12 <sup>th</sup> grade, 1 dose of quadrivalent meningococcal conjugate vaccine is required on or after the student's 11 <sup>th</sup> birthday. <b>Note:</b> If a student received the vaccine at 10 years of age, this will satisfy the requirement.
Hepatitis A <sup>1,2</sup>	2 doses												The 1 <sup>st</sup> dose of hepatitis A must be received on or after the 1 <sup>st</sup> birthday. For K – 8 <sup>th</sup> grade: 2 doses are required.

↓ Notes on the back page, please turn over ↓

Rev. 03/2017

**NOTE:** Shaded area indicates that the vaccine is not required for the respective age group.

<sup>1</sup> Receipt of the dose up to (and including) 4 days before the birthday will satisfy the school entry immunization requirement.

<sup>2</sup> Serologic evidence of infection or serologic confirmation of immunity to measles, mumps, rubella, hepatitis B, hepatitis A, or varicella is acceptable in place of vaccine.

<sup>3</sup> Previous illness may be documented with a written statement from a physician, school nurse, or the child's parent or guardian containing wording such as: "This is to verify that (name of student) had varicella disease (chickenpox) on or about (date) and does not need varicella vaccine." This written statement will be acceptable in place of any and all varicella vaccine doses required.

## Exemptions

Texas law allows (a) physicians to write medical exemption statements that the vaccine(s) required would be medically harmful or injurious to the health and well-being of the child or household member, and (b) parents/guardians to choose an exemption from immunization requirements for reasons of conscience, including a religious belief. The law does not allow parents/guardians to elect an exemption simply because of inconvenience (for example, a record is lost or incomplete and it is too much trouble to go to a physician or clinic to correct the problem). Schools should maintain an up-to-date list of students with exemptions, so they may be excluded in times of emergency or epidemic declared by the commissioner of public health.

Instructions for requesting the official exemption affidavit that must be signed by parents/guardians choosing the exemption for reasons of conscience, including a religious belief, can be found at [www.ImmunizeTexas.com](http://www.ImmunizeTexas.com) under "School & Child-Care." The original Exemption Affidavit must be completed and submitted to the school.

For children claiming medical exemptions, a written statement by the physician must be submitted to the school. Unless it is written in the statement that a lifelong condition exists, the exemption statement is valid for only one year from the date signed by the physician.

## Provisional Enrollment

All immunizations should be completed by the first date of attendance. The law requires that students be fully vaccinated against the specified diseases. A student may be enrolled provisionally if the student has an immunization record that indicates the student has received at least one dose of each specified age-appropriate vaccine required by this rule. To remain enrolled, the student must complete the required subsequent doses in each vaccine series on schedule and as rapidly as is medically feasible and provide acceptable evidence of vaccination to the school. A school nurse or school administrator shall review the immunization status of a provisionally enrolled student every 30 days to ensure continued compliance in completing the required doses of vaccination. If, at the end of the 30-day period, a student has not received a subsequent dose of vaccine, the student is not in compliance and the school shall exclude the student from school attendance until the required dose is administered.

Additional guidelines for provisional enrollment of students transferring from one Texas public or private school to another, students who are dependents of active duty military, students in foster care, and students who are homeless can be found in the TAC, Title 25 Health Services, Sections 97.66 and 97.69.

## Documentation

Since many types of personal immunization records are in use, any document will be acceptable provided a physician or public health personnel has validated it. The month, day, and year that the vaccination was received must be recorded on all school immunization records created or updated after September 1, 1991.



Texas Department of State  
Health Services

Texas Department of State Health Services • Immunization Unit • MC-1946 • P. O. Box 149347 • Austin, TX 78714-9347 • (800) 252-9152

## 2017-2018 Texas Minimum State Vaccine Requirements for Child-Care and Pre-K Facilities

This chart summarizes the vaccine requirements incorporated in the Texas Administrative Code (TAC), Title 25 Health Services, §§97.61-97.72. This chart is not intended as a substitute for consulting the TAC, which has other provisions and details. The Department of State Health Services (DSHS) is granted authority to set immunization requirements by the Human Resources Code, Chapter 42.

A child shall show acceptable evidence of vaccination prior to entry, attendance, or transfer to a child-care facility or public or private elementary or secondary school in Texas.

Age at which child must have vaccines to be in compliance:	Minimum Number of Doses Required of Each Vaccine							
	DTaP	Polio	HepB	Hib	PCV	MMR	Varicella	HepA
0 through 2 months								
By 3 months	1 Dose	1 Dose	1 Dose	1 Dose	1 Dose			
By 5 months	2 Doses	2 Doses	2 Doses	2 Doses	2 Doses			
By 7 months	3 Doses	2 Doses	2 Doses	2 Doses <sup>1</sup>	3 Doses <sup>2</sup>			
By 16 months	3 Doses	2 Doses	2 Doses	3 Doses <sup>1</sup>	4 Doses <sup>2</sup>	1 Dose <sup>3</sup>	1 Dose <sup>3</sup>	
By 19 months	4 Doses	3 Doses	3 Doses	3 Doses <sup>1</sup>	4 Doses <sup>2</sup>	1 Dose <sup>3</sup>	1 Dose <sup>3</sup>	
By 25 months	4 Doses	3 Doses	3 Doses	3 Doses <sup>1</sup>	4 Doses <sup>2</sup>	1 Dose <sup>3</sup>	1 Dose <sup>3</sup>	1 Dose <sup>3</sup>
By 43 months	4 Doses	3 Doses	3 Doses	3 Doses <sup>1</sup>	4 Doses <sup>2</sup>	1 Dose <sup>3</sup>	1 Dose <sup>3</sup>	2 Doses <sup>3</sup>

<sup>1</sup> A complete Hib series is two doses plus a booster dose on or after 12 months of age (three doses total). If a child receives the first dose of Hib vaccine at 12 - 14 months of age, only one additional dose is required (two doses total). Any child who has received a single dose of Hib vaccine on or after 15 - 59 months of age is in compliance with these specified vaccine requirements. Children 60 months of age and older are not required to receive Hib vaccine.

↓ Notes on the back page, please turn over. ↓

Rev. 03/2017

<sup>2</sup> If the PCV series is started when a child is seven months of age or older or the child is delinquent in the series, then all four doses may not be required.

Please reference the information below to assist with compliance:

- For children seven through 11 months of age, two doses are required.
- For children 12 - 23 months of age: if three doses have been received prior to 12 months of age, then an additional dose is required (total of four doses) on or after 12 months of age. If one or two doses were received prior to 12 months of age, then a total of three doses are required with at least one dose on or after 12 months of age. If zero doses have been received, then two doses are required with both doses on or after 12 months of age.
- Children 24 months through 59 months meet the requirement if they have at least three doses with one dose on or after 12 months of age, or two doses with both doses on or after 12 months of age, or one dose on or after 24 months of age. Otherwise, one additional dose is required. Children 60 months of age and older are not required to receive PCV vaccine.

<sup>3</sup> For MMR, Varicella, and Hepatitis A vaccines, the first dose must be given on or after the first birthday. Vaccine doses administered within 4 days before the first birthday will satisfy the requirement.

Information on exclusions from immunization requirements, provisional enrollment, and acceptable documentation of immunizations may be found in §97.62, §97.66, and §97.68 of the Texas Administrative Code, respectively.

#### Vaccines:

DTaP: Diphtheria, tetanus, and acellular pertussis (whooping cough); record may show DT or DTP

Polio: IPV - inactivated polio vaccine; OPV – oral polio vaccine

HepB: Hepatitis B vaccine

Hib: Haemophilus influenzae type b vaccine

PCV or PCV13: Pneumococcal conjugate vaccine

MMR: Measles, mumps, and rubella vaccines combined

Varicella: Chickenpox vaccine. May be written VAR on record.

HepA: Hepatitis A vaccine



TEXAS  
Health and Human  
Services

Texas Department of State  
Health Services

Texas Department of State Health Services • Immunization Unit • MC-1946 • P. O. Box 149347 • Austin, TX 78714-9347 • (800) 252-9152