

July 1, 2022 Premium Formulary Exclusions & Preferred Specialty Prior Authorization Requirements

| Therapeutic Category | Excluded Medications | Formulary Alternative Medications | |
|---|------------------------|---|---|
| Allergic Reactions | | | |
| Anaphylaxis Treatment | Auvi-Q (0.15mg, 0.3mg) | epinephrine injection (0.15mg, 0.3mg) | |
| Analgesics | | | |
| Non-Steroidal Anti-Inflammatory Agents | Oral | Cambia, Diclofenac Cap 35mg (M), Zipsor, Zorvolex | celecoxib, diflunisal, etodolac, flurbiprofen, ibuprofen, indomethacin, ketoprofen, ketorolac, meclufenamate, meloxicam, nabumetone, naproxen, oxaprozin, piroxicam, sulindac, tolmetin |
| | | Qmiiz ODT | meloxicam |
| | | Relafen DS | nabumetone |
| | Other | Ketorolac Nasal Spray (M), Sprix Nasal Spray | diclofenac, ibuprofen, meloxicam |
| | Topical | Diclofenac Patch (M), Flector, Licart | Any preferred/generic oral non-steroidal anti-inflammatory agent (examples: flurbiprofen, ibuprofen, ketoprofen, meloxicam, naproxen) |
| | Pennsaid, Voltaren gel | diclofenac gel/solution | |
| Opioid Analgesics | Combinations | Apadaz, Benzhydrocodone/acetaminophen | hydrocodone/acetaminophen, oxycodone/acetaminophen |
| | Oral Long-Acting | Nucynta ER, Oxycodone ER (M) | hydrocodone bitartrate ER 24HR, hydromorphone HCl ER, morphine sulfate ER, oxymorphone HCl ER, Hysingla ER, OxyContin, Xtampza ER |
| | | Conzip, Tramadol ER 100mg, 200mg, 300mg cap (M) | tramadol ER |

(M) Co-branded product

¹Existing utilizers of these medications will be allowed to continue on therapy. Continuation of therapy will not be provided for any other excluded drugs.

²Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. Continuation of therapy will not be provided for any other excluded drugs.

| Therapeutic Category | Excluded Medications | Formulary Alternative Medications |
|--|--|--|
| Opioid Analgesics <i>continued</i> | Oral Short-Acting Nucynta | codeine sulfate, hydromorphone HCl, morphine sulfate, oxycodone HCl, oxymorphone HCl |
| | Qdolo, Tramadol solution (M) | tramadol tablet |
| Analgesics | | |
| Opioid Analgesics | Transmucosal Fentanyl Analgesics | Fentora, Fentanyl Citrate Buccal Tab (M), Lazanda, Subsys |
| | Norgesic Forte, Orphengesic Forte (M) | orphenadrine tab, aspirin |
| | Baclofen solution 5mg/5ml (M), Ozobax | baclofen tablet |
| Antianxiety Agents | | |
| Antianxiety Agents | Loreev XR | clonazepam, diazepam, lorazepam, oxazepam, temazepam |
| Antibacterials | | |
| Oral Antibiotics | Doryx 80mg, Doryx MPC, Doxycycline Hyclate DR 80mg, Minolira | doxycycline, minocycline |
| Vaginal Anti-Infectives | Cleocin vaginal suppositories, Nuversa gel | clindamycin vaginal cream, metronidazole vaginal gel |
| Anticonvulsants | | |
| Seizure Disorders | Elepsia XR ¹ | levetiracetam |
| | Lamictal ODT Kit ¹ | lamotrigine ODT |
| | Oxtellar XR ¹ | oxcarbazepine IR |
| Antidepressants | | |
| Antidepressants | Bupropion XL (M) ¹ , Forfivo XL ¹ | bupropion XL |
| Antifungals, Oral | | |
| Oral Antifungals | Brexafemme | fluconazole tab |
| | Tolsura | itraconazole cap |
| Antimigraines | | |
| CGRP Antagonists | Emgality 120 mg/ml | amitriptyline, atenolol, divalproex sodium, nadolol, propranolol, timolol, topiramate, venlafaxine, Aimovig, Ajovy |
| | Reyvow | Nurtec ODT, Ubrelvy |
| Serotonin Receptor Agonists | Onzetra Xsail, Tosymra, Zembrace Symtouch | rizatriptan ODT, sumatriptan injection, sumatriptan nasal spray, zolmitriptan ODT |
| Anti-Parkinson's Agents | | |
| Parkinson's Disease | Gocovri, Osmolex ER | amantadine |

(M) Co-branded product

¹Existing utilizers of these medications will be allowed to continue on therapy. Continuation of therapy will not be provided for any other excluded drugs.

²Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. Continuation of therapy will not be provided for any other excluded drugs.

| Therapeutic Category | Excluded Medications | Formulary Alternative Medications |
|---|---|--|
| Antipsychotics | | |
| Atypical/Second Generation Antipsychotics | Secuado ¹ | aripiprazole, asenapine, olanzapine, quetiapine, quetiapine ER, paliperidone ER, risperidone, ziprasidone |
| Antivirals | | |
| Hepatitis B Drugs | Vemlidy ¹ | entecavir, tenofovir disoproxil fumarate |
| Hepatitis C Drugs | Ledipasvir-Sofosbuvir (M), Sofosbuvir-Velpatasvir (M) | Eplclusa, Harvoni, Mavyret, Vosevi |
| HIV Drugs | Cabenuva ¹ , Descovy ² , Temixys ¹ , Vocabria ¹ | Please talk to your doctor about clinically appropriate options. |
| Autonomic and Central Nervous System | | |
| Attention Deficit Disorder | Adhansia XR | dexmethylphenidate ER, methylphenidate ER, Vyvanse |
| | Azstarys | amphetamine-dextroamphetamine IR/ER, dexmethylphenidate IR/ER, dextroamphetamine IR/ER, methylphenidate IR/ER, Vyvanse |
| | Qelbree | atomoxetine, clonidine ER, guanfacine ER |
| Multiple Sclerosis | Extavia, Plegridy, Rebif, Rebif Rebidose | Avonex, Betaseron |
| | Ponvory | dimethyl fumarate DR, glatopa, glatiramer, Avonex, Bafiertam, Betaseron, Copaxone, Kesimpta, Vumerity |
| Cardiovascular | | |
| Cholesterol-Lowering Agents | Ezetimibe/Rosuvastatin (M), Roszet | atorvastatin, ezetimibe, rosuvastatin, simvastatin |
| | Livalo, Zypitamag | atorvastatin, lovastatin, pravastatin, rosuvastatin, simvastatin |
| | Praluent | Repatha |
| Hypertension | Conjupri, Katerzia | amlodipine |
| | Inderal XL, Innopran XL | propranolol ER |
| | Kaspargo | metoprolol ER |
| Hypertension with Osteoarthritis | Consensi | amlodipine, celecoxib |
| Chemotherapy Agents | | |
| Alkylating Agents | Belrapzo, Treanda | Bendeka |
| Antiandrogens | Yonsa | Xtandi |
| Asparaginase Enzyme Therapy Agents | Rylaze | Oncaspar |
| Combination Agents | Inqovi | Please talk to your doctor about clinically appropriate options. |

(M) Co-branded product

¹Existing utilizers of these medications will be allowed to continue on therapy. Continuation of therapy will not be provided for any other excluded drugs.

²Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. Continuation of therapy will not be provided for any other excluded drugs.

| Therapeutic Category | Excluded Medications | Formulary Alternative Medications |
|-------------------------------------|--|---|
| Cytolytic Antibodies | Riabni, Truxima | Ruxience |
| HER-2 Inhibitors | Herzuma, Ogivri, Ontruzant | Kanjinti, Phesgo, Trazimera |
| Kinase Inhibitors | Fotivda | Please talk to your doctor about clinically appropriate options. |
| | Pemazyre | Truseltiq |
| | Rezurock | Imbruvica, Jakafi |
| | Tepmetko | Tabrecta |
| Methyltransferase Inhibitors | Tazverik | Please talk to your doctor about clinically appropriate options. |
| Miscellaneous | Darzalex Faspro | |
| Contraceptives | | |
| Gel | Phexxi | Please talk to your doctor about clinically appropriate options. |
| Oral | Nextstellis | drospirenone/ethinyl estradiol, loryna, nikki, Natazia |
| | Slynd | camila, incassia, nora-be, norethindrone, norlyda, norlyroc |
| Patch | Twirla | levonorgestrel/ethinyl estradiol combined generic oral contraceptive, xulane |
| Corticosteroids | | |
| Oral Steroids | Alkindi Sprinkle | hydrocortisone |
| | Hemady | dexamethasone |
| | Rayos | prednisone |
| Dermatological Agents | | |
| Topical Acne Treatment | Avita, Differin lotion | adapalene, tretinoin cream/gel, Retin-A micro gel 0.06% and 0.08% |
| | Aklief, Clindagel, Veltin | adapalene, adapalene/benzoyl peroxide, clindamycin gel/lotion/solution, clindamycin/benzoyl peroxide, dapsone, erythromycin/benzoyl peroxide, tretinoin cream, Aczone 7.5%, Amzeeq, Onexton |
| | Arazlo, Fabior, Tazorac cream 0.05%; Tazorac gel 0.05%, 0.1%; Tazarotene foam 0.1% | tazarotene cream |
| | Winlevi | adapalene, clindamycin, dapsone, tazarotene cream, tretinoin cream |
| Topical Anesthetics | ZTIido | lidocaine patch |
| Topical Antifungals | Jublia | ciclopirox, tavaborole, terbinafine, Kerydin |

(M) Co-branded product

¹Existing utilizers of these medications will be allowed to continue on therapy. Continuation of therapy will not be provided for any other excluded drugs.

²Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. Continuation of therapy will not be provided for any other excluded drugs.

| Therapeutic Category | Excluded Medications | Formulary Alternative Medications |
|--|---|--|
| Topical Anti-Infectives | Noritrate cream | azelaic acid gel, ivermectin 1%, metronidazole cream/gel/lotion, Finacea foam, Soolantra |
| Topical Corticosteroids | ALA Scalp lotion | hydrocortisone |
| | Apexicon E cream | fluocinonide, betamethasone |
| | Capex shampoo | flucinolone acetonide scalp oil, Derma-Smoothe/FS |
| | Cordran tape | flurandrenolide |
| | Halobetasol foam (M), Lexette | betamethasone, clobetasol, halobetasol cream/ointment |
| Dermatological Agents | | |
| Topical Corticosteroids | Halog ointment | betamethasone, mometasone, triamcinolone |
| | Impeklo lotion | augmented betamethasone dipropionate, clobetasol |
| | Impoyz cream | clobetasol |
| | Pandel cream | flurandrenolide, hydrocortisone valerate, triamcinolone acetonide |
| | Psorcon cream, Verdeso foam | betamethasone, fluocinolone |
| | Trianex ointment 0.05% | hydrocortisone valerate, triamcinolone acetonide |
| | Ultravate lotion | clobetasol propionate, fluocinonide, halobetasol propionate |
| Topical Plaque Psoriasis | Calcipotriene foam 0.005% (M), Sorilux | calcipotriene |
| | Duobrii lotion | clobetasol, fluocinonide, halobetasol, tazarotene, Enstilar |
| | Wynzora | calcipotriene, calcipotriene/betamethasone, Enstilar, Taclonex suspension |
| Diabetes | | |
| Anti-Hyperglycemic Agents | Glucagen Hypokit, Gvoke Hypopen, Gvoke Kit, Gvoke PFS | glucagon (generic), Baqsimi, Glucagon (made by Fresenius), Zegalogue |
| Blood Glucose Meters, Test Strips and Control Solutions | Examples: Abbott (FreeStyle, Precision), Arkray (Glucocard), Lifescan (OneTouch), Trividia, (TRUEtest, TRUEtrack), Roche (Accu-Chek) | Ascencia (Contour, Contour Next) |
| Continuous Glucose Monitoring (CGM) | Freestyle Libre | Dexcom |
| Blood Sugar Regulators | metformin HCl 24hr ER osmotic release, metformin HCl 24hr ER modified release | metformin ER |
| Miscellaneous | | |

(M) Co-branded product

¹Existing utilizers of these medications will be allowed to continue on therapy. Continuation of therapy will not be provided for any other excluded drugs.

²Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. Continuation of therapy will not be provided for any other excluded drugs.

| Therapeutic Category | Excluded Medications | Formulary Alternative Medications |
|--|--|---|
| Dipeptidyl Peptidase-4 (DPP4) Inhibitors & Combinations | Alogliptin (M), Alogliptin with metformin (M), Alogliptin with pioglitazone (M), Kazano, Kombiglyze XR, Nesina, Onglyza, Oseni | Janumet, Janumet XR, Januvia, Jentadueto, Jentadueto XR, Tradjenta |
| Basal Insulins | Basaglar, Insulin Glargine-YFGN, Levemir, Semglee, Semglee-YFGN, Tresiba | Lantus, Toujeo |
| Glucagon-Like Peptide-1 (GLP1) Agonists | Adlyxin | Bydureon, Bydureon BCise, Byetta, Ozempic, Rybelsus, Trulicity, Victoza |
| Insulins | Novolin, Novolin Relion | Humulin |
| Rapid-Acting Insulins | Admelog, Apidra, Fiasp, Insulin Aspart (M), Insulin Lispro (M), Novolog, Novolog Relion | Humalog, Lyumjev |
| Sodium-Glucose Co-transporter (SGLT2) Inhibitors - Single Agent | Invokana, Steglatro | Farxiga, Jardiance |
| Sodium-Glucose Co-transporter (SGLT2) Inhibitors - Combination Agents | Invokamet, Invokamet XR, Segluromet | Synjardy, Synjardy XR, Xigduo XR |
| SGLT2 and DPP4 Combinations | QTERN, Steglujan | Glyxambi, Trijardy XR |
| Endocrine (Other) | | |
| Cortisol Synthesis Inhibitors | Isturisa | ketoconazole tabs, Korlym |
| Growth Hormones | Genotropin, Humatrope, Omnitrope, Saizen, Zomacton | Norditropin, Nutropin |
| Infertility | Gonal-F, Gonal-F RFF | Follistim AQ |
| | Cetrotide | ganirelix (made by Organon) |
| Somatostatin Analog | Mycapssa | octreotide injection |
| | Signifor (SQ) | Signifor LAR |
| Testosterone Replacement | Aveed, Jatenzo, Natesto, Testopel | testosterone, Androderm, Xyosted |
| Enzyme Disorders | | |
| Duchenne Muscular Dystrophy (DMD) | Amondys 45, Exondys 51, Vyondys 53 | dexamethasone, methylprednisolone, prednisone |
| Gastrointestinal | | |
| Anti-Diarrheal Agents | Motofen | diphenoxylate/atropine, loperamide |
| Antiemetics | Sancuso patch | granisetron solution/tablet, ondansetron ODT |
| Anti-Inflammatory, Anti-Ulcer Agents | ibuprofen/famotidine, Duexis | famotidine, ibuprofen |

(M) Co-branded product

¹Existing utilizers of these medications will be allowed to continue on therapy. Continuation of therapy will not be provided for any other excluded drugs.

²Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. Continuation of therapy will not be provided for any other excluded drugs.

| Therapeutic Category | Excluded Medications | Formulary Alternative Medications |
|---|--|---|
| Gastrointestinal | | |
| Irritable Bowel Syndrome with Constipation/ Chronic Idiopathic Constipation (IBS-C/ CIC) | Amitiza, Lubiprostone (M), Trulance | Linzess |
| Opioid-Induced Constipation (OIC) | Amitiza, Lubiprostone (M), Movantik, Relistor | Symproic |
| Inflammatory Bowel Disease | Dipentum | balsalazide, mesalamine cap/tab, Apriso |
| | Ortikos | budesonide ER |
| Laxatives | Osmoprep, Plenvu | gavilyte, peg 3350, Clenpiq, Suprep |
| Pancreatic Enzymes | Pancreaze, Pertzye, Viokace | Creon, Zenpep |
| Proton Pump Inhibitors | omeprazole with sodium bicarbonate (cap, powder pak), Dexilant, Rabeprazole sprinkle cap (M) | esomeprazole magnesium delayed release, lansoprazole, omeprazole, pantoprazole, rabeprazole |
| Hematological | | |
| Coagulation Factors | Sevenfact ¹ | Novoseven |
| Cyclin-Dependent Kinase Inhibitor | Cosela | Nivestym, Zarzio |
| Erythropoiesis-Stimulating Agents | Epogen | Aranesp, Procrit, Retacrit |
| Hemophilia A | Esperoct ¹ | Adynovate, Afstyla, Eloctate, Jivi |
| Long-Acting Granulocyte-Colony Stimulating Factor (G-CSFs) | Fulphila, Nyvepria, Udenyca | Neulasta, Ziextenzo |
| Short-Acting Granulocyte-Colony Stimulating Factor (G-CSFs) | Granix, Neupogen | Nivestym, Zarxio |
| Immunomodulators | | |
| Calcineurin Inhibitor | Lupkynis | Benlysta |
| Folate Analog Metabolic Inhibitor | Otrexup, Reditrex | methotrexate, Rasuvo |
| Immune Globulin, Intravenous (IVIG) | Asceniv, Panzyga | Gammagard, Gammaplex, Gamunex-C, Privigen |
| Immune Globulin, Subcutaneous (SCIG) | Cutaquig | Cuvitru, Hizentra, Xembify |
| Interleukin-17 (IL-17) Inhibitor | Cosentyx | Taltz |
| JAK Inhibitor | Olumiant | Rinvoq, Xeljanz, Xeljanz XR |
| TNF Inhibitor | Infliximab, Remicade, Renflexis | Avsola, Inflectra |

(M) Co-branded product

¹Existing utilizers of these medications will be allowed to continue on therapy. Continuation of therapy will not be provided for any other excluded drugs.

²Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. Continuation of therapy will not be provided for any other excluded drugs.

| Therapeutic Category | Excluded Medications | Formulary Alternative Medications |
|---|--|--|
| Immunotherapy | | |
| Oral | Palforzia | Please talk to your doctor about clinically appropriate options. |
| Ophthalmic | | |
| Antiglaucoma Drugs | Vyzulta, Zioptan | latanoprost ophthalmic solution, travoprost ophthalmic solution, Lumigan |
| | Timoptic Ocudose 0.25% | timolol ophthalmic solution |
| Antihistamines | Zerviate | azelastine ophthalmic solution, bepotastine ophthalmic solution, olopatadine ophthalmic solution |
| Dry Eye Disease | Cequa | Restasis, Xiidra |
| Non-Steroidal Anti-Inflammatory Agents | Bromsite, Ilevro, Nevanac | bromfenac ophthalmic solution, diclofenac ophthalmic solution, flurbiprofen sodium ophthalmic solution, ketorolac tromethamine ophthalmic solution, Prolensa |
| Wet Age-Related Macular Degeneration | Beovu | ophthalmic bevacizumab (compound), Eylea, Lucentis, Macugen |
| Other | | |
| Alzheimer's Disease | Aduhelm | Please talk to your doctor about clinically appropriate options. |
| Amyotrophic Lateral Sclerosis (ALS) | Exservan | riluzole |
| Antigout Agents | Colchicine capsule (M), Colcrys, Gloperba, Mitigare | colchicine tablet |
| Antihistamines and Combinations | Clarinx-D | desloratadine, pseudoephedrine |
| Bile Acid Therapy | Reltone, Ursodiol (M) | ursodiol |
| Chelating Agents | penicillamine cap | penicillamine tab, Depen Titra |
| Diabetic Gastroparesis | Gimoti | metoclopramide |
| Duchenne Muscular Dystrophy (DMD) | Viltepso | dexamethasone, methylprednisolone |
| Iron Replacement Therapy | Accrufer | ferrous fumarate, ferrous gluconate, ferrous sulfate |
| Lambert-Eaton Myasthenic Syndrome (LEMS) | Firdapse | Ruzurgi |
| Long-Chain Fatty Acid Oxidation Disorders (LC-FAOD) | Dojolvi | Please talk to your doctor about clinically appropriate options. |
| Multivitamins | Examples: Folic-K, Genicin Vita-S, Hylavite, Lorid, Tronvite, Xvite | Any preferred multivitamin |

(M) Co-branded product

¹Existing utilizers of these medications will be allowed to continue on therapy. Continuation of therapy will not be provided for any other excluded drugs.

²Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. Continuation of therapy will not be provided for any other excluded drugs.

| Therapeutic Category | Excluded Medications | Formulary Alternative Medications |
|---|--|---|
| Obesity | Contrave | phentermine, Qsymia, Saxenda, Wegovy |
| | Imcivree | Please talk to your doctor about clinically appropriate options. |
| Opioid Reversal Agents | Lifems Naloxone | naloxone, Kloxxado, Narcan |
| Osteoarthritis/Hyaluronic Acid Injections | Gel-One, Genvisc, Hyalgan, Hymovis, Monovisc, Orthovisc, Supartz FX, Synvisc, Synvisc-One, Triluron, Trivisc, Visco-3 | Durolane, Euflexxa, Gelsyn-3 |
| Osteoporosis | Forteo | Teriparatide, Tymlos |
| Platelet-Modifying Agent | Aspirin/Omeprazole (M), Yosprala | aspirin, omeprazole |
| Polycystic Kidney Disease | Jynarque | Please talk to your doctor about clinically appropriate options. |
| Prenatal Vitamins | Examples: Azesco, Pregenna, Prenate, Trinaz, Vitafof FE, Vitathely, Zalvit | Any preferred prenatal vitamin |
| Sickle Cell Anemia | Oxbryta | hydroxyurea |
| Sleep Disturbance Agents | Hetlioz, Hetlioz LQ | Please talk to your doctor about clinically appropriate options. |
| Thyroid Agents | Levothyroxine caps (M), Thyquidity, Tirosint caps, solution | levothyroxine |
| Respiratory | | |
| Allergy: Nasal Steroids | Xhance | mometasone furoate, Beconase AQ |
| COPD: Inhaled Anticholinergics | Incruse Ellipta, Tudorza | Spiriva |
| COPD: Long-Acting Beta Agonist/Long-Acting Muscarinic Agonist Combination Inhalers | Bevespi, Duaklir | Anoro Ellipta, Stiolto Respimat |
| Cystic Fibrosis | Cayston, Kitabis Pak, Tobramycin Neb 300mg/5ml (M) | tobramycin nebulizer soln, TOBI podhaler |
| Pulmonary Anti-Inflammatory Inhalers | Alvesco, Armonair Digihaler, Asmanex, Asmanex HFA, QVAR Redihaler | Arnuity Ellipta, Flovent Diskus, Flovent HFA, Pulmicort Flexhaler |
| Pulmonary Anti-Inflammatory, Long-Acting Beta Agonist Combination Inhalers | Airduo Digihaler, AirDuo Respiclick, Budesonide/Formoterol (M), Dulera | wixela, Advair Diskus, Advair HFA, Breo Ellipta, Symbicort |
| Short-Acting Beta-2 Adrenergic Inhalers | Albuterol HFA (brand alternative for Ventolin HFA made by Prasco) (M), Levalbuterol Inhaler (M), Proair Digihaler, Proair HFA, Proair Respiclick, Proventil HFA, Ventolin HFA, Xopenex HFA | Any generic albuterol HFA inhaler (EXCEPTION: albuterol HFA made by Prasco) |
| Sugar Alcohol Inhalation Therapy | Bronchitol | hypertonic saline, Pulmozyme |

(M) Co-branded product

¹Existing utilizers of these medications will be allowed to continue on therapy. Continuation of therapy will not be provided for any other excluded drugs.

²Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. Continuation of therapy will not be provided for any other excluded drugs.

| Therapeutic Category | Excluded Medications | Formulary Alternative Medications |
|---|---------------------------------|--|
| Urological | | |
| Erectile Dysfunction Oral Agents | Stendra | sildenafil |
| Interstitial Cystitis | Elmiron | amitriptyline, hydroxyzine |
| Overactive Bladder (OAB) | Gemtesa | darifenacin ER, oxybutynin ER/IR, solifenacin, tolterodine ER/IR, trospium ER/IR, Myrbetriq tablet |
| | Myrbetriq Granules, Vesicare LS | oxybutynin ER/IR |

(M) Co-branded product

¹Existing utilizers of these medications will be allowed to continue on therapy. Continuation of therapy will not be provided for any other excluded drugs.

²Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. Continuation of therapy will not be provided for any other excluded drugs.

Excluded brand-name medications with generic equivalents

The brand-name medications below are excluded on the formulary. These brand-name medications have been identified as having available generic equivalents covered at Tier 1 on the formulary. Speak with your pharmacist to have your excluded brand-name medication substituted with its generic equivalent.

A generic medication contains the same active ingredient(s) as a brand-name medication. An active ingredient is what makes the medication work. For example, Lipitor® and its generic both contain atorvastatin, which reduces the amount of bad cholesterol in the blood. Brand-name medications are often protected by a patent. When the patent ends, drug companies can apply to the U.S. Food and Drug Administration (FDA) to begin making generic versions of the medication.

| | | | | |
|---------------------------|-----------------------|----------------------|--------------------------|-------------------------|
| Abilify | Cloderm | Kenalog spray | Prinivil | Timoptic-XE |
| Absorica | Colestid | Keppra | Pristiq | TOBI nebulizer solution |
| Acanya | Concerta | Keppra XR | Prometrium | Tobradex suspension |
| Aciphex tablet | Coreg | Klonopin | Propecia | Topamax |
| Acticlate | Coreg CR | K-tab | Protonix tab | Topamax sprinkle cap |
| Aczone 5% | Cortef | Kuvan | Provigil | Topicort spray |
| Adcirca | Cosopt solution | Lamictal chewable | Prozac | Toprol XL |
| Adderall | Cosopt PF solution | Lamictal starter kit | Pulmicort inhalation | Tracleer 62.5, 125mg |
| Adderall XR | Cozaar | Lamictal ODT | suspension | Travatan-Z |
| Adipex-P | Crestor | Lamictal tab | Qudexy XR | Treximet |
| Afinitor | Cuprimine | Lamictal XR | Questran | Tribenzor |
| Afinitor Disperz | Cymbalta | Lasix | Questran Light | Tricor |
| Alphagan P 0.15% | Cytomel | Latisse | Ranexa | Trileptal |
| Altace | Delestrogen injection | Lescol XL | Relafen | Truvada |
| Ambien | 20mg/ml, 40mg/ml | Letairis | Relpax | Uceris tab |
| Ambien CR | Delzicol | Lexapro | Remodulin injection | Ultracet |
| Amrix | Depakote | Lialda | Renagel | Ultram |
| Androgel | Depakote ER | Lidoderm | Restoril | Vagifem |
| Arimidex | Depakote sprinkle cap | Lipitor | Retin-A | Valium |
| Arthrotec | Depo-testosterone | Loestrin 21 | Retin-A micro gel 0.04%, | Valtrex |
| Asacol HD | injection | Loestrin FE | 0.1% | Vanadom |
| Atacand | Differin cream, gel | Lotemax suspension | Risperdal solution, | Vectical |
| Ativan | Dilantin cap 100mg | Lotrel | tablet | Vesicare tab |
| Atripia | Dilantin chewable | Lovaza | Ritalin | Viagra |
| Avapro | Dilantin suspension | Lunesta | Ritalin LA | Vigamox |
| Avodart | Dilaudid | Lyrica | Roxicodone | Vimovo |
| Azopt | Diovan | Lyrica CR | Sabril | Vivelle-Dot |
| Azor | Diovan HCT | Maxalt | Safyral | Volgelxo |
| Baraclude | Doryx tab 50, 200mg | Maxalt-MLT | Sandostatin injection | Vytorin |
| Benicar | Effexor XR | Metrogel | Saphris | Welchol |
| Benicar HCT | Elidel | Micardis | Seasonique | Wellbutrin SR |
| Benzaclin | Epiduo gel | Micardis HCT | Sensipar | Wellbutrin XL |
| Benzamycin | EpiPen Jr 0.15mg | Minastrin | Seroquel | Xalatan |
| Bepreve | Estrace | Mobic | Seroquel XR | Xanax |
| Bethkis | Evekeo | Moviprep | Silvadene | Xanax XR |
| Beyaz | Exforge | MS Contin | Singulair | Yasmin 28 |
| Brisdelle | Exforge HCT | Nalfon | Skelaxin | Yaz |
| Brovana | Fioricet | Nasonex | Solodyn | Zanaflex |
| Butrans | Fioricet w/ codeine | Natroba | Soma | Zegerid |
| Bystolic | Firazyr | Neurontin | Strattera | Zestril |
| Canasa | Flomax | Nexium capsule | Suboxone | Zetia |
| Carafate | Focalin | Niaspan ER | Sutent | Ziana |
| Carbatrol | Focalin XR | Nitrostat | Taclonex ointment | Zocor |
| Cardizem LA 180, 240, | Fortesta | Norvasc | Tamiflu | Zoloft |
| 300, 360, 420mg | Generess FE chewable | Nulytely | Targadox | Zomig tab |
| Carnitor solution, tablet | Gleevec | Nuvigil | Targetin | Zomig ZMT |
| Catapres-TTS patch | Glucagon kit (Lilly) | Onfi | Tazorac cream 0.1% | Zonegran |
| Celebrex | Glumetza | Oracea | Tecfidera | Zovirax |
| Celexa | Golytely solution | Paxil tab | Tegretol | Zyclara 3.75% |
| Cialis | Halog cream | Paxil CR | Tegretol-XR | Zyprexa |
| Ciprodex | Hyzaar | Percocet | Tenormin | Zytiga |
| Clarinox 5mg tab | Imitrex | Plaquenil | Testim gel | |
| Cleocin vaginal cream | Inderal LA | Plavix | Tikosyn | |
| Climara patch | Intuniv | Pred Forte | Timoptic | |
| Clobex | Kenalog-40 Injection | Prevacid | Timoptic Ocudose 0.5% | |

Required Prior Authorization +

| Therapeutic Class | Non-Preferred Medications | Preferred Medications |
|--------------------|---|--|
| Hepatitis C | All other brands non-preferred with prior authorization | Epclusa, Harvoni, Mavyret, Vosevi |
| Multiple Sclerosis | All other brands non-preferred with prior authorization | dimethyl fumarate DR, glatopa, glatiramer, Avonex, Bafiertam, Betaseron, Copaxone, Kesimpta, Vumerity |
| Immunomodulators | All other brands non-preferred with prior authorization | Avsola, Cimzia, Humira, Inflectra, Otezla, Rinvoq, Simponi, Skyrizi, Stelara, Tremfya, Xeljanz, Xeljanz XR |

+ All of the products listed above are currently subject to prior authorization. Preferred medications are required prior to new requests for non-preferred medication(s). Existing utilizers of non-preferred medication(s) within the therapeutic categories of Hepatitis C, Immunomodulators and Multiple Sclerosis will be eligible to remain on current therapy if compliance and efficacy of therapy are demonstrated. Exceptions will be granted for specific indications where the preferred agents do not have FDA-approval for use.

About this document: Where differences exist between this list and your benefit plan, the benefit plan documents rule. This is not a complete list of your covered medications. Please review your benefit plan documents for full details. Not all formulary alternatives listed in this document may be appropriate for your specific condition. Please talk to your doctor.

