

**Conroe ISD**  
**RFP #22-06-02 Kitchen-Large Equipment**  
**Bid Tabulation**

BUYER: Stephanie Hendershot x97809

BID REFERENCE: RFP# 22-06-02

|   | Supplier   | QTY | UOM  | Unit Price  | Extended    | MFG                        | MFG #           | TOTAL EVALUATION SCORE |
|---|--|-----|------|-------------|-------------|----------------------------|-----------------|------------------------|
| 1 | 17" range attachment, (2) 35,000 BTU open burners, natural gas, cast iron grate, electronic spark ignition 120V/60/1-ph, .1 amps, NEMA, flame failure device, storage base, stainless steel front sides, 6" adjustable legs, 70,000 BTU, CE CSA Flame, CSA Star, NSF, 2670200 Natural Gas Regulator, 3/4" N.P. T.  |     |      |             |             |                            |                 |                        |
|   | Pueblo Hotel Supply (Grady's Foodservice Eqmt & Supplies)  | 1   | each | \$4,581.66  | \$4,581.66  | Garland or Approved Equal  | MST4S-E         | 95.67                  |
| 2 | Master Series Spreader Cabinet, 12" wide top, cabinet base with one door, stainless steel front, sides, front rail to cover front of both units and work top, 6" legs, modified with cut out for faucet hole and 3 sided heat shield   |     |      |             |             |                            |                 |                        |
|   | A-Tex Restaurant Supply  | 1   | each | \$946.80    | \$946.80    | Garland or Approved Equal  | M125ES          | 96.00                  |
| 3 | Master Series Low profile backguard/flue riser, 10" H x 29" W stainless steel  |     |      |             |             |                            |                 |                        |
|   | Pueblo Hotel Supply  | 1   | each | \$468.68    | \$468.68    | Garland or Approved Equal  | M29LPBG         | 96.33                  |
| 4 | Blue Hose Gas Connector Kit, 3/4" inside dia. 48/" long covered with stainless steel braid, coated with blue antimicrobial PVC, (1) Safety Quik QDV, (2) Swivel MAX and coiled restraining cable with hardware, 160,000 BTU/hr minimum flow capacity   |     |      |             |             |                            |                 |                        |
|   | Pueblo Hotel Supply  | 1   | each | \$305.89    | \$305.89    | Dormont or Approved Equal  | 1675KITCF2S48   | 96.67                  |
| 5 | Air Screen Display case, self contained top mounted refrigeration, lift out black louvered air grill, electronic display control, digital temperature display, top lighted header canopy, clear header panel, (4) adjustable stainless steel shelves with T5 LED lights, removable stainless steel deck, perforated back panel, brushed SS interior ends, laminated exterior, pull-down #23 Econo Frost night curtain, 1 hp, cETLus, ETL-Sanitation 115/208-230V/60/1-ph, 11.4 amps, NEMA L14-30P, 8 ft cord |     |      |             |             |                            |                 |                        |
|   | Pueblo Hotel Supply  | 1   | each | \$16,189.85 | \$16,189.85 | RPI or Approved Equal      | SCAS48R-III-PEC | 96.67                  |
| 6 | Hot Food Table, Electric, 36" L, (2) 12" x 20" sealed hot food wells with drains, infinite controls, fill faucet, 8" poly cutting board, open base, accommodates full size pans, stainless steel plate shelf, top, sides, bottom shelf with 3" rear riser, casters, cUL, UL, NSF, 120V/60/1 ph, 17 amps, NEMA 5-30P  |     |      |             |             |                            |                 |                        |
|   | Kommercial Kitchens (Terry Woodard Enterprises, Inc)   | 1   | each | \$3,488.00  | \$3,488.00  | Delfield or Approved Equal | EHEI36C         | 97.67                  |
| 7 | Stock Pot Induction Range, accommodates a 22 in stock pot, Free standing with storage base, LED display, microprocessor, control knob, automatic pan detection, integral cooling fan grease filter, auto shut-off feature, glass ceramic top with stainless steel housing 7000 watts, 200-240V/50/60/3 phase, 20 amps, NEMA L15-20P cETLus, NSF, CE 17.1"H 21.9"W 22.9"Depth   |     |      |             |             |                            |                 |                        |
|   | Kommercial Kitchens (Terry Woodard Enterprises, Inc)   | 1   | each | \$6,544.00  | \$6,544.00  | CookTek or Approved Equal  | 646701          | 97.67                  |

|  |   |   |      |             |             |                              |                          |       |
|--|---|---|------|-------------|-------------|------------------------------|--------------------------|-------|
| 8  | Mobile Milk Cooler, forced-air, (16) 13" x13"x 11 1/8" crate capacity, stainless steel drop front /hold open flip up lid with lock, 33-38 degree temperature range, (3) heavy duty floor racks, digital thermometer, white vinyl exterior, aluminum interior with stainless steel floor, 4" castors, R290 Hydrocarbon refrigerant, 1/5 HP, 115v/60/1-ph, 2.7 amps, NEMA 5-15, cULus, UL EPH Classified, Energy Star Silver/White, 9ft cord  | 1 | each | \$4,299.00  | \$4,299.00  | Tru Mfg. or Approved Equal   | TMC-58-HC                | 97.67 |
| Kommercial Kitchens (Terry Woodard Enterprises, Inc) |   |   |      |             |             |                              |                          |       |
| 9  | Two connected boilerless convection steamers, includes stand with casters, natural gas, holds (6) 12" x 20" x 2-1/2" deep pans each compartment, digital controls, water drain connection required, 60,000 BTU, 120/60/1ph (2) 5' cords NEMA5-15P cULus, UL EPH Classified, Door hinged on right.   | 2 | each | \$23,764.00 | \$47,528.00 | AccuTemp or Approved Equal   | N61201E060 DBL (Steamer) | 97.67 |
| Kommercial Kitchens (Terry Woodard Enterprises, Inc) |   |   |      |             |             |                              |                          |       |
| 10   | Support stand, for double stacked units, stainless steel with adjustable bullet feet.   | 1 | each | \$1,385.00  | \$1,385.00  | AccuTemp or Approved Equal   | SNH-20-01                | 97.67 |
| Kommercial Kitchens (Terry Woodard Enterprises, Inc) |   |   |      |             |             |                              |                          |       |
| 11   | Combi oven/steamer, gas, boiler-free, countertop, (8) 18" x 26" full size sheet or (16) 12" x 20" full size hotel pan capacity, PRO touch control with steam/convection/combi and retherm cooking modes, programmable cool-down, Safe Vent steam venting , removable single-point temperature probe, (3) power levels, (4) cooking modes, Combi Clean PLUS with (5) cleaning levels,(2) side racks with (8) non tilt support rails, cool touch glass window, door hinged right, high efficiency LED lighting, stainless steel construction, adjustable stainless steel legs, 98,000 BTU cULus, UL EPH Classified, CE, IPXS., Gastec, Energy Star120v/60/1-ph, 6.8 amps, .84kW, 14 AWG, comes with a 3/4" water connection a 3/4" gas connection; overall dimensions: W 43 3/4"L 46 3/16"; H 37 13/16" | 2 | each | \$20,591.97 | \$41,183.94 | Alto-Shaam or Approved Equal | CTP7-20G                 | 96.67 |
| Ace Mart Restaurant Supply Co                        |   |   |      |             |             |                              |                          |       |
| 12   | Combi oven/steamer, Electric boiler-free, countertop, (8) 18" x 26" full size sheet or (16) 12" x 20" full size hotel pan capacity, PROtouch control with steam/convection/combi and retherm cooking modes, programmable cool-down, SafeVent steam venting , removable single-point temperature probe, (3) power levels, (4) cooking modes, CombiClean PLUS with (5) cleaning levels,(2) side racks with (8) non tilt support rails, cooltouch glass window, door hinged right, high efficiency LED lighting, stainless steel construction, adjustable stainless steel legs, 208-240V 1-ph  | 2 | each | \$18,744.35 | \$37,488.70 | Alto-Shaam or Approved Equal | CTP7-20E                 | 96.67 |
| Pueblo Hotel Supply                                  |   |   |      |             |             |                              |                          |       |
| 13   | Installation Kit for gas CTP or CTC combi ovens, copper   | 2 | each | \$940.00    | \$1,880.00  | Alto-Shaam or Approved Equal | 5026980                  | 96.67 |
| Pueblo Hotel Supply                                  |   |   |      |             |             |                              |                          |       |
| 14   | Reverse Osmosis System, 10 gallon hydropneumatic storage tank, up to 175 gpd production, non-electric, particulate Chlorine reduction prefilter, mineral addition cartridge, post filter for chloramine reduction, full system bypass valve and valve in head system shut off, include hose, tubing fittings for installation. Include manifold(Y fitting) for stacked oven connection  | 1 | each | \$1,316.00  | \$1,316.00  | Alto-Shaam or Approved Equal | 5031207                  | 96.67 |
| A-Tex Restaurant Supply                              |   |   |      |             |             |                              |                          |       |

|    |   |    |      |             |             |                              |                |       |
|----|---|----|------|-------------|-------------|------------------------------|----------------|-------|
| 15 | Stacking hardware for Alto-Shaam (or Approved Equal)  |    |      |             |             |                              |                |       |
|    | <a href="#">Pueblo Hotel Supply</a>   | 1  | each | \$1,381.01  | \$1,381.01  | Alto-Shaam or Approved Equal | 5016707        | 96.67 |
| 16 | Ice Maker, cube style, air cooled, self contained condenser, 30"W x 24"D x 21-1/2"H, production capacity up to 490 lb/24 hours at 70/50, easytouch display, date/time stamp display, one touch cleaning with instructions, DuraTech exterior, half dice size cubes, r410A refrigerant, NSF, cULus, CE, Energy Star, (-161) 115v/60/1-ph, 11.9 amps Produces half-dice ice that measures 3/8" x 1 1/8" x 7/8"  |    |      |             |             |                              |                |       |
|    | <a href="#">Kommercial Kitchens (Terry Woodard Enterprises, Inc)</a>  | 1  | each | \$3,336.00  | \$3,336.00  | Manitowoc or Approved Equal  | IYTO450A       | 97.67 |
| 17 | Ice Bin, 30"W x 34"D x 50"H with side hinged front opening door, side grips, 532 lbs. application capacity, AHRI certified 17.9 cu.ft., for top mounted ice maker, Duratech exterior, NSF, legs, 6" adjustable stainless steel legs, standard 30" ice bin; 5.3 lb capacity; plastic ice scoop has a knuckle thumb guard that separates ice hands  |    |      |             |             |                              |                |       |
|    | <a href="#">Ace Mart Restaurant Supply Co</a>   | 1  | each | \$1,119.19  | \$1,119.19  | Manitowoc or Approved Equal  | D570           | 96.67 |
| 18 | Refrigerator, Reach-In, one section, 24.2 Cu. Ft. self contained refrigeration, stay clear condenser, stainless steel exterior and interior, standard depth, wide half height door or doors with ez clean gaskets, (3) adjustable wire shelves per section, microprocessor controls, 6" adjustable stainless steel legs, 1/3 HP, cULus, NSF. 115v/60/1-ph, 7.0 amps, with cord NEMA 5-15P standard, Standard refrigerant, door hinged on right 83.25" High; silver; compressor located on top. Dimensions (WxDxH) 29.88" x 35" x 83.25" |    |      |             |             |                              |                |       |
|    | <a href="#">Ace Mart Restaurant Supply Co</a>   | 1  | EA   | \$11,383.18 | \$11,383.18 | Traulsen or Approved Equal   | RHT132WUT-HHS  | 96.67 |
| 19 | Ez change universal trayslide for Traulsen (or Approved Equal)  |    |      |             |             |                              |                |       |
|    | <a href="#">Ace Mart Restaurant Supply Co</a>   | 13 | pair | \$ 86.66    | \$ 1,126.58 | Traulsen or Approved Equal   | 701-60039-00   | 96.67 |
| 20 | Refrigerator, Pass-Thru, 83.25(h) x 29.88(w) x 37.94(d) One-section, self contained refrigeration, stayclear condenser, stainless steel exterior and interior, standard depth, wide half height door or doors with ez clean gaskets (3) adjustable wire shelves per section, microprocessor controls, 6" adjustable stainless steel legs, 1/3 HP, cULus, NSF, 115V/60/1-ph, 7.2 amps, with cord NEMA 5-15P, Standard refrigerant, Thermometer side door: hinged on right, rear door: hinged on right                                    |    |      |             |             |                              |                |       |
|    | <a href="#">Ace Mart Restaurant Supply Co</a>   | 1  | each | \$12,871.86 | \$12,871.86 | Traulsen or Approved Equal   | RHT132WPUT-HHS | 96.67 |
| 21 | Heated Cabinet, Reach in, one section, stainless steel exterior and interior, standard depth cabinet, half height door or doors with ez clean gaskets, microprocessor controls, energy star, 208/115v/60/1-ph, 7.8 amps, door hinged on right 24.8 cu ft; wattage 1500; 29.88" w x 35"L x 83.25" H  |    |      |             |             |                              |                |       |
|    | <a href="#">Ace Mart Restaurant Supply Co</a>   | 1  | each | \$9,615.74  | \$9,615.74  | Traulsen or Approved Equal   | RHF132W-HHS    | 96.67 |
| 22 | Heated Cabinet, Pass thru, one section, stainless steel exterior and interior, half height door or doors with ez clean gaskets, microprocessor controls, 6" adjustable stainless steel legs, NSF, UL, energy star, 208/115v/60/1-ph. 7.8 amps, Thermometer side door: hinged on right, Rear door: hinged on right,  |    |      |             |             |                              |                |       |
|    | <a href="#">Ace Mart Restaurant Supply Co</a>   | 1  | EA   | \$11,308.73 | \$11,308.73 | Traulsen or Approved Equal   | RHF132WP-HHS   | 96.67 |
| 23 | Cabinet, mobile heated, insulated, top mount heater assembly recessed push/pull handles, magnetic latch, (12) sets chrome plated wire angle slides for 12" x 20" thru 18" x 26" pans on 401/2" centers, reversible dutch doors, (44) heavy duty 5" swivel casters (2) braked, anti microbial latches, stainless steel construction, NSF, cCSAus, Energy Star, 120v/60/1-ph, 1.5kW, 12.0amp, 10 ft power cord, NEMA 5-15P , Right hand door swing (top and bottom doors) 250 lb load capacity; max temp is 200°F;                        |    |      |             |             |                              |                |       |

|  |   |      |            |            |                               |            |       |
|--|---|------|------------|------------|-------------------------------|------------|-------|
| <a href="#">Kommercial Kitchens (Terry Woodard Enterprises, Inc)</a> | 1 | each | \$6,344.00 | \$6,344.00 | Cres Cor or Approved<br>Equal | H137SUA12D | 97.67 |
|--|---|------|------------|------------|-------------------------------|------------|-------|

|    |   |  |  |  |  |  |  |
|----|---|--|--|--|--|--|--|
| 24 | <b>Convection oven, gas, double deck, standard depth, capacity (5) 18" x 26" pans per compartment, (SSD) solid state digital controls, 2 speed fans, interior light, simultaneous operated doors with glass, stainless steel front, sides and top, 6" stainless steel legs, flue connector, (2) 1/2 HP, 55,000 BTU each , cETL, NSF, CE, 115v/60/1-ph, 6.0 amps, 1/2HP 2-wire with ground NEMA 5-15P per deck</b> |  |  |  |  |  |  |
|----|---|--|--|--|--|--|--|

|                                     |   |      |             |             |                               |             |       |
|-------------------------------------|---|------|-------------|-------------|-------------------------------|-------------|-------|
| <a href="#">Pueblo Hotel Supply</a> | 2 | each | \$22,747.95 | \$45,495.90 | Blodgett or Approved<br>Equal | DFG-100 DBL | 96.67 |
|-------------------------------------|---|------|-------------|-------------|-------------------------------|-------------|-------|